

# Hahn/Karchner Marine Toxicology Lab

---

Biology Department, MS#32  
Woods Hole Oceanographic Institution  
Woods Hole, MA 02543-1049 U.S.A.  
Tel. (508) 289-3242, Fax (508) 457-2134  
email: [mhahn@whoi.edu](mailto:mhahn@whoi.edu)  
<http://www.whoi.edu/science/B/people/mhahn/hahnm.html>  
ORCID ID: [orcid.org/0000-0003-4358-2082](http://orcid.org/0000-0003-4358-2082)  
Web of Science ResearcherID: AAV-7516-2020

## REFEREED PUBLICATIONS (~200 total)

(\*undergraduate students, #graduate students, §postdoctoral researchers advised or co-advised)

Google Scholar:

[https://scholar.google.com/citations?hl=en&user=L393gDQAAAJ&view\\_op=list\\_works&sortby=pubdate](https://scholar.google.com/citations?hl=en&user=L393gDQAAAJ&view_op=list_works&sortby=pubdate)

NCBI Bibliography:

<https://www.ncbi.nlm.nih.gov/myncbi/mark.hahn.1/bibliography/public/>

- 1986 **M.E. Hahn**, T.A. Gasiewicz, J.A. Goldstein, and P. Linko. Effect of hexachlorobenzene on the specific binding of 2,3,7,8-TCDD to the hepatic Ah receptor. *Chemosphere* **15**: 1691-1698.
- 1986 Goldstein, J. A., P. Linko, **M. E. Hahn**, T. A. Gasiewicz and H. N. Yeowell (1986). Structure-activity relationships of chlorinated benzenes as inducers of hepatic cytochrome P-450 isozymes in the rat. *IARC Sci Publ* **77**: 519-526.
- 1988 **M.E. Hahn**, T.A. Gasiewicz, P. Linko, and J.A. Goldstein. The role of the Ah locus in hexachlorobenzene-induced porphyria: studies in congenic C57BL/6J mice. *Biochemical Journal* **254**: 245-254.
- 1989 **M.E. Hahn**, J.A. Goldstein, P. Linko, and T.A. Gasiewicz. Interaction of hexachlorobenzene with the receptor for 2,3,7,8-tetrachlorodibenzo-*p*-dioxin *in vitro* and *in vivo*. Evidence that hexachlorobenzene is a weak Ah receptor agonist. *Archives of Biochemistry and Biophysics* **270**: 344-355
- 1989 J.W. Gooch, A.A. Elskus, P.J. Kloepper-Sams, **M.E. Hahn**, and J.J. Stegeman. Effects of *ortho* and non-*ortho* substituted polychlorinated biphenyl congeners on the hepatic monooxygenase system in scup (*Stenotomus chrysops*). *Toxicology and Applied Pharmacology* **98**: 422-433
- 1989 **M.E. Hahn**, B.R. Woodin, and J.J. Stegeman. Induction of cytochrome P450E (P450IA1) by 2,3,7,8-tetrachlorodibenzofuran (2,3,7,8-TCDF) in the marine fish scup (*Stenotomus chrysops*). *Marine Environmental Research* **28**: 61-65
- 1991 **M.E. Hahn** and T.A. Gasiewicz. Determination of individual porphyrins in rodent urine using high-performance liquid chromatography following cleanup by anion exchange chromatography. *Journal of Chromatography* **563**: 363-368
- 1991 R.M. Smolowitz, **M.E. Hahn**, and J. J. Stegeman. Immunohistochemical localization of cytochrome P450IA1 induced by 3,3',4,4'-tetrachlorobiphenyl and by 2,3,7,8-tetrachlorodibenzofuran in liver and extrahepatic tissues of the teleost *Stenotomus chrysops* (scup). *Drug Metabolism and Disposition* **19**: 113-123

- 1991 J. J. Stegeman, R.M. Smolowitz, and **M.E. Hahn**. Immunohistochemical localization of environmentally induced cytochrome P4501A1 in multiple organs of the marine teleost *Stenotomus chrysops* (scup). *Toxicology and Applied Pharmacology* **110**: 486-504
- 1992 **M.E. Hahn** and J.J. Stegeman. Phylogenetic distribution of the Ah receptor in non-mammalian species: implications for dioxin toxicity and Ah receptor evolution. *Chemosphere* **25**: 931-937
- 1992 **M.E. Hahn**, A. Poland, E. Glover, and J.J. Stegeman. The Ah receptor in marine animals: Phylogenetic distribution and relationship to cytochrome P4501A inducibility. *Marine Environmental Research* **34**: 87-92
- 1993 **M.E. Hahn**, T.M. Lamb\*, M.E. Schultz, R.M. Smolowitz, and J.J. Stegeman. Cytochrome P4501A induction and inhibition by 3,3',4,4'-tetrachlorobiphenyl in an Ah receptor-containing fish hepatoma cell line (PLHC-1). *Aquatic Toxicology* **26**: 185-208.
- 1994 Stegeman, J.J. and **M.E. Hahn**. Biochemistry and molecular biology of monooxygenases: Current directions in forms, functions, and regulation of cytochrome P450 in aquatic species, in *Aquatic Toxicology: Molecular, Biochemical and Cellular Perspectives*, Malins, D.C. and Ostrander, G.K., Editors, CRC/Lewis, pp. 87-206
- 1994 **M.E. Hahn**, A. Poland, E. Glover, and J.J. Stegeman. Photoaffinity labeling of the Ah receptor: phylogenetic survey of diverse vertebrate and invertebrate species. *Archives of Biochemistry and Biophysics* **310**: 218-228
- 1994 R.D. White, **M.E. Hahn**, W.L. Lockhart, and J.J. Stegeman. Catalytic and immunochemical characterization of hepatic microsomal cytochromes P450 in beluga whales (*Delphinapterus leucas*). *Toxicology and Applied Pharmacology* **126**: 45-57
- 1994 P. Lindstrom-Seppa, P.J. Korytko\*, **M.E. Hahn**, and J.J. Stegeman. Uptake of waterborne 3,3',4,4'-tetrachlorobiphenyl and organ and cell-specific induction of cytochrome P4501A in the fathead minnow *Pimephales promelas*. *Aquatic Toxicology* **28**: 147-167
- 1994 **M.E. Hahn** and J.J. Stegeman. Regulation of cytochrome P4501A1 in teleosts: Sustained induction of CYP1A1 mRNA, protein, and catalytic activity by 2,3,7,8-tetrachlorodibenzofuran in the marine fish *Stenotomus chrysops*. *Toxicology and Applied Pharmacology* **127**: 187-198
- 1995 J.J. Stegeman, **M.E. Hahn**, R. Weisbrod, B.R. Woodin, J.S. Joy, S. Najibi, and R.A. Cohen. Induction of cytochrome P4501A1 by Ah-receptor agonists in porcine aorta endothelial cells in culture, and CYP1A1 activity in intact cells. *Molecular Pharmacology* **47**: 296-306.
- 1995 **M.E. Hahn** and S.I. Karchner. Evolutionary conservation of the vertebrate Ah (dioxin) receptor: Amplification and sequencing of the PAS domain of a teleost Ah receptor cDNA. *Biochemical Journal* **310**: 383-387.
- 1995 N.W. Cornell, **M.E. Hahn**, and H.A. Martin. Characterization and use of isolated toadfish hepatocytes for studies of heme synthesis and utilization. *Biological Bulletin* **189**: 227-228.
- 1996 **M.E. Hahn**, B.L. Woodward, J.J. Stegeman, and S.W. Kennedy. Rapid assessment of induced cytochrome P4501A (CYP1A) protein and catalytic activity in fish hepatoma

- cells grown in multi-well plates: Response to TCDD, TCDF, and two planar PCBs. *Environmental Toxicology and Chemistry* **15**: 582-591.
- 1996 M. Celander, **M.E. Hahn**, and J.J. Stegeman. Cytochromes P450 (CYP) in the *Poeciliopsis lucida* hepatocellular carcinoma cell line (PLHC-1): Dose- and time-dependent glucocorticoid potentiation of CYP1A induction without induction of CYP3A. *Archives of Biochemistry and Biophysics* **329**: 113-122.
- 1996 **M.E. Hahn** and K. Chandran\*. Uroporphyrin accumulation associated with cytochrome P4501A induction in fish hepatoma cells exposed to Ah receptor agonists, including 2,3,7,8-tetrachlorodibenzo-p-dioxin and planar chlorobiphenyls. *Archives of Biochemistry and Biophysics* **329**: 163-174.
- 1996 S.I. Karchner<sup>§</sup> and **M.E. Hahn**. A reverse transcription-polymerase chain reaction (RT-PCR) approach for cloning Ah receptors from diverse vertebrate species: partial sequence of an Ah receptor from the teleost *Fundulus heteroclitus*. *Marine Environmental Research* **42**: 13-17.
- 1996 S.W. Kennedy, A. Lorenzen, S.P. Jones, **M.E. Hahn**, and J.J. Stegeman. Cytochrome P4501A induction in avian hepatocyte cultures: a promising approach for predicting the sensitivity of avian species to toxic effects of halogenated aromatic hydrocarbons. *Toxicology and Applied Pharmacology* **141**: 214-230
- 1996 **M.E. Hahn**. Ah receptors and the mechanism of dioxin toxicity: Insights from homology and phylogeny, in *Interconnections Between Human and Ecosystem Health*, DiGiulio, R.D. and Monosson, E., (Eds.), Chapman and Hall Publishers, pp. 9-26.
- 1997 A. Lorenzen, S.W. Kennedy, L.J. Bastien, and **M.E. Hahn**. Halogenated aromatic hydrocarbon-mediated porphyrin accumulation and induction of P4501A in chicken embryo hepatocytes. *Biochemical Pharmacology* **53**: 373-384.
- 1997 M. Celander, J. Bremer, **M.E. Hahn**, and J.J. Stegeman. Glucocorticoid-xenobiotic interactions: Dexamethasone potentiation of cytochrome P4501A induction by b-naphthoflavone in a fish hepatoma cell line (PLHC-1). *Environmental Toxicology and Chemistry* **16(5)**: 900-907.
- 1997 **M.E. Hahn**, S.I. Karchner, M.A. Shapiro\*, and S.A. Perera\*. Molecular evolution of two vertebrate aryl hydrocarbon (dioxin) receptors (AHR1 and AHR2) and the PAS family. *Proceedings of the National Academy of Sciences U.S.A.* **94**: 13743-13748
- 1998 **M.E. Hahn**, S.I. Karchner, M.A. Shapiro\*, and S.A. Perera\*. The aryl hydrocarbon receptor in early vertebrates. *Marine Environmental Research* **46**: 41-44.
- 1998 S.E. Huuskonen<sup>#</sup>, K. Koponen, O. Ritola, **M. Hahn**, and P.E. Lindstrom-Seppa. Induction of CYP1A and porphyrin accumulation in fish hepatoma cells (PLHC-1) exposed to sediment or water from a PCB-contaminated lake (Lake Kernaala, Finland). *Marine Environmental Research* **46**: 379-384.
- 1998 S.E. Huuskonen<sup>#</sup>, **M.E. Hahn**, and P.E. Lindstrom-Seppa. A fish hepatoma cell line (PLHC-1) as a tool to study cytotoxicity and CYP1A induction properties of cellulose and wood chip extracts. *Chemosphere* **36**: 2921-2932.
- 1998 S.E. Huuskonen<sup>#</sup>, T.E. Ristola, A. Tuvikene, **M.E. Hahn**, J.V.K. Kukkonen, and P.E. Lindstrom-Seppa. Comparison of two bioassays, a fish liver cell line (PLHC-1) and a

- midge (*Chironomus riparius*), in monitoring freshwater sediments. *Aquatic Toxicology* **44**: 47-67.
- 1998 H.T. Besselink, M.S. Denison, **M.E. Hahn**, S.I. Karchner, A.D. Vethaak, J.H. Koeman, and A. Brouwer. Low inducibility of CYP1A activity by polychlorinated biphenyls (PCBs) in flounder (*Platichthys flesus*): Characterization of the Ah receptor and the role of CYP1A inhibition. *Toxicological Sciences* **43**: 161-171.
- 1998 **M.E. Hahn**. Mechanisms of innate and acquired resistance to dioxin-like compounds. *Reviews in Toxicology. Series B - Environmental Toxicology* **2**: 395-443.
- 1998 **M.E. Hahn**, B.R. Woodin, J.J. Stegeman, and D.E. Tillitt. Aryl hydrocarbon receptor function in early vertebrates: Inducibility of cytochrome P4501A in agnathan and elasmobranch fish. *Comparative Biochemistry and Physiology* **120C(1)**: 67-75
- 1998 **M.E. Hahn**. The Aryl Hydrocarbon Receptor: A Comparative Perspective. *Comparative Biochemistry and Physiology*. **121C(3)**:23-53.
- 1998 N.M. Fragoso, J.L. Parrott, **M.E. Hahn**, and P.V. Hodson. Chronic retene exposure causes sustained induction of CYP1A activity and protein in rainbow trout (*Oncorhynchus mykiss*). *Environmental Toxicology and Chemistry* **17(11)**: 2347-2354.
- 1999 W.H. Powell<sup>§</sup>, S.I. Karchner, R. Bright\*, and **M.E. Hahn**. Functional diversity of vertebrate ARNT proteins: Identification of ARNT2 as the predominant form of ARNT in the marine teleost, *Fundulus heteroclitus*. *Archives of Biochemistry and Biophysics* **361**: 156-163.
- 1999 C.C. Abnet, R.L. Tanguay, **M.E. Hahn**, W. Heideman, and R.E. Peterson. Two forms of aryl hydrocarbon receptor type 2 in rainbow trout (*Oncorhynchus mykiss*): Evidence for differential expression and enhancer specificity. *Journal of Biological Chemistry* **274**: 15159-15166.
- 1999 K.K. Mann, R.A. Matulka, **M.E. Hahn**, A.F. Trombino, B.P. Lawrence, N.I. Kerkvliet, and D.H. Sherr. The Role of polycyclic aromatic hydrocarbon metabolism in dimethylbenzanthracene-induced Pre-B Cell Apoptosis. *Toxicology and Applied Pharmacology* , **161**: 10-22.
- 1999 S.I. Karchner, W.H. Powell<sup>§</sup>, and **M.E. Hahn**. Structural and Functional Characterization of Two Highly Divergent Aryl Hydrocarbon Receptors in the teleost *Fundulus heteroclitus*. Evidence for a novel class of ligand-binding bHLH-PAS factors. *Journal of Biological Chemistry* **274**: 33814-33824.
- 2000 S.E. Huuskonen<sup>#</sup>, A. Trapido, and **M.E. Hahn**. CYP1A induction and porphyrin accumulation in PLHC-1 fish cells exposed to sediment and oil shale extracts. *Archives of Environmental Contamination and Toxicology*, **38**: 59-69.
- 2000 E.V. Hestermann<sup>#</sup>, J.J. Stegeman, and **M.E. Hahn**. Serum alters the uptake and relative potencies of halogenated aromatic hydrocarbons in a cell culture bioassay. *Toxicological Sciences* **53**: 316-325.
- 2000 R.D. White, D. Shea, J.J. Schlezinger, **M.E. Hahn**, and J.J. Stegeman. In vitro metabolism of polychlorinated biphenyl congeners by beluga whale (*Delphinapterus leucas*) and pilot whale (*Globicephala melas*) and relationship to cytochrome P450 expression. *Comparative Biochemistry and Physiology* **126**: 267-284

- 2000 S.A. Quadri, A.N. Qadri, **M.E. Hahn**, K.K. Mann, and D.H. Sherr. The Bioflavonoid Galangin Blocks Aryl Hydrocarbon Receptor (AhR) Activation and Polycyclic Aromatic Hydrocarbon-induced Pre-B cell Apoptosis. *Molecular Pharmacology* **58**: 515-525
- 2000 W.H. Powell<sup>§</sup>, R. Bright<sup>\*</sup>, S.M. Bello<sup>#</sup>, and **M.E. Hahn**. Developmental and Tissue-specific Expression of AHR1, AHR2, and ARNT2 in Dioxin-sensitive and -resistant Populations of the Marine Fish, *Fundulus heteroclitus*. *Toxicological Sciences* **57**: 229-239.
- 2000 S.I. Karchner, S.W. Kennedy, S. Trudeau, and **M.E. Hahn**. Towards a Molecular Understanding of Species Differences in Dioxin Sensitivity: Initial Characterization of Ah Receptor cDNAs in Birds and an Amphibian. *Marine Environmental Research* **50**: 51-56
- 2000 W.H. Powell<sup>§</sup> and **M.E. Hahn**. The evolution of aryl hydrocarbon signaling proteins: Diversity of ARNT isoforms among fish species. *Marine Environmental Research* **50**: 39-44
- 2000 E.V. Hestermann<sup>#</sup>, J.J. Stegeman, and **M.E. Hahn**. Relative contributions of affinity and intrinsic efficacy to aryl hydrocarbon receptor ligand potency. *Toxicology and Applied Pharmacology* **168**: 160-172.
- 2000 M. Betka, A. Welenc, D.G. Franks, **M.E. Hahn**, and G.V. Callard. Characterization of Two Aryl hydrocarbon Receptor (AhR) mRNA Forms in *Squalus acanthias* and stage-specific expression during spermatogenesis. *Bulletin of the Mt. Desert Island Biological Laboratory* **39**: 110-112.
- 2000 **M.E. Hahn** and J.J. Stegeman (2000) Molecular Biology and Biotechnology in Marine Toxicology, in *Opportunities for Environmental Applications of Marine Biotechnology. (Proceedings of the Workshop on Opportunities for Advancement of Environmental Applications of Marine Biotechnology. October 5-6, 1999, Washington, DC)*, Board on Biology, Ocean Studies Board, National Research Council. National Academy Press: p. 112-125.
- 2001 B.H. Toomey, S. Bello<sup>#</sup>, **M.E. Hahn**, S. Cantrell, P. Wright, D. Tillitt, and R.T. DiGiulio. TCDD induces apoptotic cell death and cytochrome P4501A expression in developing *Fundulus heteroclitus* embryos. *Aquatic Toxicology* **53**: 127-138.
- 2001 S.M. Bello<sup>#</sup>, D.G. Franks, J.J. Stegeman, and **M.E. Hahn**. Acquired Resistance to Aryl Hydrocarbon Receptor Agonists in a Population of *Fundulus heteroclitus* from a Marine Superfund site: In Vivo and In Vitro Studies on the Induction of Xenobiotic Metabolizing Enzymes. *Toxicological Sciences* **60**: 77-91.
- 2001 R.B. Butler, M.L. Kelley, W.H. Powell<sup>§</sup>, **M.E. Hahn**, and R.J. Van Beneden. An Aryl Hydrocarbon Receptor Homologue from the Soft-Shell Clam, *Mya arenaria*: Evidence that invertebrate AHR homologues lack TCDD and BNF binding. *Gene* **278**: 223-234.
- 2001 B.A. Jensen<sup>#</sup> and **M.E. Hahn**. cDNA cloning and characterization of a high affinity aryl hydrocarbon receptor in a cetacean, the beluga, *Delphinapterus leucas*. *Toxicological Sciences* **64**: 41-56.
- 2001 **M.E. Hahn**. Dioxin Toxicology and the Aryl Hydrocarbon Receptor: Insights from fish and other non-traditional models. *Marine Biotechnology* **3(Suppl.1)**: S224-S238.

- 2002 S.M. Bard, S.M. Bello<sup>#</sup>, **M.E. Hahn**, and J.J. Stegeman. Expression of P-glycoprotein in killifish (*Fundulus heteroclitus*) exposed to environmental xenobiotics. *Aquatic Toxicology* **59**: 237-251
- 2002 E.V. Hestermann<sup>#</sup>, J.J. Stegeman, and **M.E. Hahn**. Relationships Among the Cell Cycle, Cell Proliferation, and Aryl Hydrocarbon Receptor Expression in PLHC-1 Cells. *Aquatic Toxicology* **58**: 201-213.
- 2002 E.V. Hestermann<sup>#</sup>, J.J. Stegeman, and **M.E. Hahn**. Serum Withdrawal Leads to Reduced Aryl Hydrocarbon Receptor Expression and Loss of Cytochrome P4501A Inducibility in PLHC-1 Cells. *Biochemical Pharmacology* **63**: 1405-1414.
- 2002 E.-Y. Kim<sup>§</sup> and **M.E. Hahn**. cDNA cloning and characterization of an aryl hydrocarbon receptor from the harbor seal (*Phoca vitulina*): A biomarker of dioxin susceptibility? *Aquatic Toxicology* **58**: 57-73
- 2002 W.H. Powell<sup>§</sup> and **M.E. Hahn**. Identification and Functional Characterization of Hypoxia-inducible factor 2a from the marine teleost, *Fundulus heteroclitus*: Interaction of HIF-2a with two ARNT2 splice variants. *Journal of Experimental Zoology - Molecular and Developmental Evolution* **294**: 17-29.
- 2002 **M.E. Hahn**. Biomarkers and Bioassays for Detecting Dioxin-like Compounds in the Marine Environment. *Science of the Total Environment* **289**: 49-69.
- 2002 S.I. Karchner, D.G. Franks, W.H. Powell<sup>§</sup>, and **M.E. Hahn**. Regulatory Interactions Among Three Members of the Vertebrate Aryl Hydrocarbon Receptor Family: AHR Repressor, AHR1, and AHR2. *Journal of Biological Chemistry* **277**: 6949-6959.
- 2002 E.-Y. Kim<sup>§</sup>, **M.E. Hahn**, H. Iwata, S. Tanabe, and N. Miyazaki. cDNA cloning of an aryl hydrocarbon receptor from Baikal Seals (*Phoca sibirica*). *Marine Environmental Research* **54**: 285-289.
- 2002 E.A. Andreasen, **M.E. Hahn**, W. Heideman, R.E. Peterson, and R.L. Tanguay. The zebrafish (*Danio rerio*) aryl hydrocarbon receptor type 1 (zfAHR1) is a novel vertebrate receptor. *Molecular Pharmacology* **62**: 234-249.
- 2002 **M.E. Hahn**. Aryl hydrocarbon receptors: Diversity and Evolution. *Chemico-Biological Interactions* **141**: 131-160
- 2002 S.M. Billiard, **M.E. Hahn**, D.G. Franks, R.E. Peterson, N.C. Bols, and P.V. Hodson. Binding of polycyclic aromatic hydrocarbons (PAHs) to teleost aryl hydrocarbon receptors (AHRs). *Comparative Biochemistry and Physiology B* **133**: 55-68.
- 2002 J. Song, M. Clagett-Dame, R.E. Peterson, **M.E. Hahn**, W.M. Westler, R.R. Sicinski, and H.F. DeLuca. A Novel Ligand for the Aryl Hydrocarbon Receptor Isolated from Lung. *Proceedings of the National Academy of Sciences U.S.A.* **99**: 14694-14699.
- 2003 **M.E. Hahn**. Chapter 14. Evolutionary and Physiological Perspectives on Ah Receptor Function and Dioxin Toxicity, in *Dioxins and Health (second edition)*, Schechter, A. and Gasiewicz, T.A., Editors. John Wiley & Sons. pp. 559-602.
- 2003 C.A. Hart<sup>#</sup>, I.C.T. Nisbet, S.W. Kennedy, and **M.E. Hahn**. Gonadal feminization and halogenated environmental contaminants in common terns (*Sterna hirundo*): Evidence that ovotestes in male embryos do not persist to the pre fledgling stage. *Ecotoxicology* **12**: 125-140.

- 2003 S.A. Tittlemier, S.W. Kennedy, **M.E. Hahn**, C.M. Reddy, and R.J. Norstrom. Naturally-Produced Halogenated Dimethyl Bipyrroles Bind to the Ah Receptor and Induce Cytochrome P4501A and Porphyrin Accumulation in Chicken Embryo Hepatocytes. *Environmental Toxicology and Chemistry* **22**: 1497-1506.
- 2003 J.N. Meyer, D.M. Wassenberg, S.I. Karchner, **M.E. Hahn**, and R.T. DiGiulio. Expression and inducibility of aryl hydrocarbon receptor (AHR) pathway genes in wild-caught killifish (*Fundulus heteroclitus*) from a creosote-contaminated site. *Environmental Toxicology and Chemistry* **22(10)**: 2337-2343.
- 2003 L. Wiesner, **M.E. Hahn**, S.I. Karchner, E.L. Cooper, and E. Kauschke. Does an aryl hydrocarbon receptor (AHR)-like molecule exist in earthworms? Some implications for immunity. *Pedobiologia* **47**: 646-650.
- 2004 **M.E. Hahn**, S.I. Karchner, D.G. Franks, and R.R. Merson. Aryl hydrocarbon receptor polymorphisms and dioxin resistance in Atlantic killifish (*Fundulus heteroclitus*). *Pharmacogenetics* **14**: 131-143.
- 2004 **M.E. Hahn**, R.R. Merson, and S.I. Karchner (2004) Xenobiotic Receptors in Fishes: Structural and Functional Diversity and Evolutionary Insights, in *Biochemistry and Molecular Biology of Fishes. Vol. 6 - Environmental Toxicology*, Moon, T.W. and Mommsen, T.P., Editors., pp.191-228
- 2004 W.H. Powell<sup>§</sup>, H.G. Morrison, E.J. Weil, S.I. Karchner, M.L. Sogin, J.J. Stegeman, and **M.E. Hahn**. Cloning and analysis of the CYP1A promoter from the Atlantic killifish (*Fundulus heteroclitus*). *Marine Environmental Research* **58**: 119-124.
- 2004 M.J. Reimers, **M.E. Hahn**, and R.L. Tanguay. Two zebrafish alcohol dehydrogenases share common ancestry with mammalian class I, II, IV, and V ADH genes but have distinct functional characteristics. *Journal of Biological Chemistry* **279**: 38303-38312
- 2005 W. Vetter, **M.E. Hahn**, G. Tomy, S. Ruppe, S. Vatter, N. Chahbane, D. Lenoir, K-W. Schramm, and G. Scherer. Biological activity and physico-chemical parameters of the marine halogenated natural products 2,3,3',4,4',5,5'-heptachloro-2'-methyl-1,2'-bipyrrole (Q1) and 2,4,6-tribromoanisole (TBA). *Archives of Environmental Contamination and Toxicology* **48**: 1-9.
- 2005 B.R. Evans<sup>#</sup>, S.I. Karchner, D.G. Franks, and **M.E. Hahn**. Duplicate aryl hydrocarbon receptor repressor genes (*ahrr1* and *ahrr2*) in the zebrafish *Danio rerio*: Structure, function, evolution, and AHR-dependent regulation in vivo. *Arch. Biochem. Biophys.* **441**: 151-167.
- 2005 S.I. Karchner, D.G. Franks, and **M.E. Hahn**. AHR1B, a new functional aryl hydrocarbon receptor in zebrafish: tandem arrangement of *ahr1b* and *ahr2* genes. *Biochem. J.* **392**: 153-161.
- 2005 X. Yang, D. Liu, T.J. Murray, G.C. Mitchell, E.V. Hestermann<sup>#</sup>, S.I. Karchner, R.R. Merson, **M.E. Hahn**, and D.H. Sherr. The Aryl Hydrocarbon Receptor Constitutively Represses c-myc Transcription in Human Mammary Tumor Cells. *Oncogene* **24**: 7869-7881.
- 2006 R.R. Merson<sup>§</sup>, D.G. Franks, S.I. Karchner, and **M.E. Hahn**. Development and characterization of polyclonal antibodies against the aryl hydrocarbon receptor protein family (AHR1, AHR2, and AHR repressor) of Atlantic killifish *Fundulus heteroclitus*.

*Comp Biochem Physiol C Toxicol Pharmacol* **142**: 85-94.

- 2006 S.I. Karchner, D.G. Franks, S.W. Kennedy, and **M.E. Hahn**. The molecular basis for differential dioxin sensitivity in birds: Role of the aryl hydrocarbon receptor. *Proceedings of the National Academy of Sciences U.S.A.* **103**: 6252-6257
- 2006 **Hahn, M. E.**, Karchner, S. I., Evans, B. R.<sup>#</sup>, Franks, D. G., Merson, R. R., and Lapsertis, J. M. Unexpected diversity of aryl hydrocarbon receptors in non-mammalian vertebrates: Insights from comparative genomics. *Journal of Experimental Zoology: Molecular and Developmental Evolution* **305A**: 693-706
- 2006 Tarrant, A. M.<sup>§</sup>, Greytak, S. R., Callard, G. V., and **Hahn, M. E.** Estrogen receptor-related receptors in the killifish *Fundulus heteroclitus*: diversity, expression, and estrogen responsiveness. *J. Mol. Endocrinol.* **37**: 105-120
- 2006 Goldstone, J., Hamdoun, A. M., Cole, B., Ashby, M. H., Nebert, D.W., Scally, M., Dean, M., Epel, D., **Hahn, M. E.**, and Stegeman, J. J. The chemical defensome: Environmental sensing and response genes in the *Strongylocentrotus purpuratus* genome. *Dev Biol.* **300**: 366-384.
- 2006 Sodergren, *et al.* (Sea Urchin Genome Sequencing Consortium). The genome of the sea urchin *Strongylocentrotus purpuratus*. *Science* **314**, 941-952.
- 2007 **Hahn, M. E.**, and Hestermann, E. V.<sup>#</sup> Chapter 5. Receptor-mediated Mechanisms of Toxicity. In *The Toxicology of Fishes* (R. T. Di Giulio, and D. E. Hinton, Eds.) pp.235-272.
- 2007 Carvan III, M. J., Gallagher, E. P., Goksoyr, A., **Hahn, M. E.**, and Joakim, D. G. (2007). Roundtable discussion: Fish models in toxicology. *Zebrafish* **4**, 9-20.
- 2007 Yasui, T., Kim, E.-Y., Iwata, H., Franks, D. G., Karchner, S. I., **Hahn, M. E.**, and Tanabe, S. Functional Characterization and Evolutionary History of Two Aryl Hydrocarbon Receptor Isoforms (AhR1 and AhR2) from Avian Species. *Toxicol Sci*, **99**: 101-117.
- 2007 Jönsson, M. E., Jenny, M. J.<sup>§</sup>, Woodin, B. R., **Hahn, M. E.**, and Stegeman, J. J. (2007). Role of AHR2 in the expression of novel cytochrome P450 1 family genes, cell cycle genes, and morphological defects in developing zebrafish exposed to 3,3',4,4',5-pentachlorobiphenyl (PCB-126) or 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD). *Toxicological Sciences* **100**: 180-193.
- 2007 Montie, E. W.<sup>#</sup>, Schneider, G. E., Ketten, D. R., Marino, L., Touhey, K. E., and **Hahn, M. E.** (2007). Neuroanatomy of the Subadult and Fetal Brain of the Atlantic White-Sided Dolphin (*Lagenorhynchus acutus*) from In Situ Magnetic Resonance Images. *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology* **290**: 1459-1479
- 2007 Burnett, K. G., Bain, L. J., Baldwin, W. S., Callard, G. V., Cohen, S., Giulio, R. T. D., Evans, D. H., Gómez-Chiarri, M., **Hahn, M. E.**, Hoover, C. A., Karchner, S. I., Kato, F., MacLatchy, D. L., Marshall, W. S., Meyer, J. N., Nacci, D. E., Oleksiak, M. F., Rees, B. B., Singer, T. P., Stegeman, J. J., Towle, D. W., Veld, P. A. V., Vogelbein, W. K., Whitehead, A., Winn, R. N., and Crawford, D. L. (2007). *Fundulus* as the premier teleost model in environmental biology: Opportunities for new insights using genomics. *Comparative Biochemistry and Physiology Part D: Genomics and Proteomics* **2**: 257-286. PMC2128618



- 2008 Montie, E. W. #, Garvin, S. R., Fair, P. A., Bossart, G. D., Mitchum, G. B., McFee, W. E., Speakman, T., Starczak, V. R., and **Hahn, M. E.** (2008). Blubber morphology in wild bottlenose dolphins (*Tursiops truncatus*) from the southeast United States: influence of geographic location, age class, and reproductive state. *Journal of Morphology* **269**: 496–511.
- 2008 Hansson, M. C. §, and **Hahn, M. E.** (2008) Functional properties of the four Atlantic salmon (*Salmo salar*) aryl hydrocarbon receptor type 2 (AHR2) isoforms. *Aquat Toxicol* **86**: 121–130. PMC2264924
- 2008 Evans, B. R. #, Karchner, S. I., Allan, L. L., Pollenz, R.S., Tanguay, R.L., Sherr, D. H., and **Hahn, M. E.** (2008) Repression of aryl hydrocarbon receptor (AHR) signaling by AHR repressor (AHRR): Role of DNA binding and competition for ARNT. *Mol Pharmacol.* **73**: 387–398
- 2008 Montie, E. W. #, Fair, P. A., Bossart, G. D., Mitchum, G. B., Houde, M., Muir, D. C., Letcher, R. J., McFee, W. E., Starczak, V. R., Stegeman, J. J., and **Hahn, M. E.** (2008) Cytochrome P4501A1 Expression, Polychlorinated Biphenyls and Hydroxylated Metabolites, and Blubber Dynamics of Bottlenose Dolphins from the Southeast United States. *Aquatic Toxicology* **86**: 397–412
- 2008 Montie, E. W. #, Ketten, D. R., Schneider, G., Marino, L., Touhey, K. E., and **Hahn, M. E.** (2008) Volumetric Neuroimaging of the Atlantic White-Sided Dolphin (*Lagenorhynchus acutus*) Brain from In Situ Magnetic Resonance Images. *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology* **291**: 263-282
- 2008 Matson, C.W., Clark, B.W., Jenny, M.J. §, Fleming, C.R., **Hahn, M.E.**, and Di Giulio, R.T. (2008) Development of the morpholino gene knockdown technique in *Fundulus heteroclitus*: a tool for studying molecular mechanisms in an established environmental model. *Aquatic Toxicology* **87**: 289-295. PMC2413436
- 2008 Reddy, C. M., Stegeman, J. J., and **Hahn, M. E.** (2008) Chapter 7: Organic Pollutants: Presence and Effects in Humans and Marine Animals. In *Oceans and Human Health: Risks and Remedies from the Seas* (P. J. Walsh, S. L. Smith, Lora E. Fleming, H. M. Solo-Gabriele, and W. H. Gerwick, Eds.) Academic Press / Elsevier, 2008. p. 121-44.
- 2008 Head, J. A., **Hahn, M. E.**, and Kennedy, S. W. (2008) Key amino acids in the aryl hydrocarbon receptor predict dioxin sensitivity in avian species. *Environmental Science and Technology*, **42**: 7535-41.
- 2008 Whalen, K. E. #, Morin, D., Lin, C. Y., Tjeerdema, R. S., Goldstone, J. V., and **Hahn, M. E.** (2008) Proteomic identification, cDNA cloning and enzymatic activity of glutathione S-transferases from the generalist marine gastropod, *Cyphoma gibbosum*. *Arch Biochem Biophys*, **478(1)**: 7-17.
- 2009 Montie, E. W. #, Reddy, C. M., Gebbink, W. A., Touhey, K. E., **Hahn, M. E.**, and Letcher, R. J. (2009). Organohalogen contaminants and metabolites in cerebrospinal fluid and cerebellum gray matter in short-beaked common dolphins and Atlantic white-sided dolphins from the western North Atlantic. *Environ Pollut* **157**, 2345-2358.
- 2009 **Hahn, M. E.**, Allan, L. L., and Sherr, D. H. (2009). Regulation of Constitutive and Inducible AHR Signaling: Complex Interactions Involving the AHR Repressor. *Biochemical Pharmacology*, **77**, 485-497. PMC2701375
- 2009 Karchner, S. I., Jenny, M. J. §, Tarrant, A. M. §, Evans, B. R. #, Kang, H. J., Bae, I., Sherr,

- D. H., and **Hahn, M. E.** (2009) The active form of human aryl hydrocarbon receptor repressor lacks exon 8 and its Pro185 and Ala185 variants repress both AHR and HIF. *Molecular and Cellular Biology* **29**, 3465-3477. PMC2698758
- 2009 Jenny, M. J.<sup>§</sup>, Karchner, S. I., Franks, D. G., Woodin, B. R., Stegeman, J. J., and **Hahn, M. E.** (2009). Distinct roles of two zebrafish AHR repressors (AHRRa and AHRRb) in embryonic development and regulating the response to TCDD (2,3,7,8-tetrachlorodibenzo-p-dioxin). *Toxicol Sci* **110**, 426-441. PMC2708601
- 2009 Merson, R. R.<sup>§</sup>, Karchner, S. I., and **Hahn, M. E.** (2009) Interaction of fish aryl hydrocarbon receptor paralogs (AHR1 and AHR2) with the retinoblastoma protein. *Aquat. Toxicol.* **94**, 47-55. PMC2833323
- 2009 Jonsson, M. E., Franks, D. G., Woodin, B. R., Jenny, M. J.<sup>§</sup>, Garrick, R. A., Behrendt, L., **Hahn, M. E.**, and Stegeman, J. J. (2009). The tryptophan photoproduct 6-formylindolo[3,2-b]carbazole (FICZ) binds multiple AHRs and induces multiple CYP1 genes via AHR2 in zebrafish. *Chemico-Biological Interactions* **181**, 447-54. PMC2838191
- 2010 Stegeman, J. J., Goldstone, J. V., and **Hahn, M. E.** (2010). Chapter 10: Perspectives on zebrafish as a model in environmental toxicology. In *Zebrafish (Fish Physiology, volume 29)* (S. F. Perry, M. Ekker, A. P. Farrell, and C. J. Brauner, Eds.), pp. 367-439.
- 2010 Greytak, S. R., Tarrant, A. M., Nacci, D., **Hahn, M. E.**, and Callard, G. V. (2010). Estrogen responses in killifish (*Fundulus heteroclitus*) from polluted and unpolluted environments are site- and gene-specific. *Aquat Toxicol* **99**, 291-299. PMC2907899
- 2010 Howard, G. J., Schlezinger, J. J., **Hahn, M. E.**, and Webster, T. F. (2010). Generalized Concentration Addition predicts joint effects of aryl hydrocarbon receptor agonists with partial agonists and competitive antagonists. *Environmental Health Perspectives* **118**, 666-672. PMC2866683
- 2010 Montie, E. W.<sup>#</sup>, Letcher, R. J., Reddy, C. M., Moore, M. J., Rubinstein, B., and **Hahn, M. E.** (2010). Brominated flame retardants and organochlorine contaminants in winter flounder, harp and hooded seals, and North Atlantic right whales from the Northwest Atlantic Ocean. *Marine Pollution Bulletin*, **60**: 1160-1169.
- 2010 Whalen, K. E.<sup>#</sup>, Lane, A. L., Kubanek, J., and **Hahn, M. E.** (2010). Biochemical warfare on the reef: the role of glutathione S-transferases in consumer tolerance of dietary prostaglandins. *PLoS ONE* **5**, e8537. PMC2796389
- 2010 Whalen, K. E.<sup>#</sup>, Sotka, E. E., Goldstone, J. V., and **Hahn, M. E.** (2010). The role of multixenobiotic transporters in predatory marine molluscs as counter-defense mechanisms against dietary allelochemicals. *Comp Biochem Physiol C Toxicol Pharmacol* **152**, 288-300.
- 2010 Jensen, B. A.<sup>#</sup>, Reddy, C. M., Nelson, R. K., and **Hahn, M. E.** (2010). Developing tools for risk assessment in protected species: Relative potencies inferred from competitive binding of halogenated aromatic hydrocarbons to aryl hydrocarbon receptors from beluga (*Delphinapterus leucas*) and mouse. *Aquat Toxicol*, **100**: 238-245. PMC3175004
- 2010 Whalen, K. E.<sup>#</sup>, Starczak, V. R., Nelson, D. R., Goldstone, J. V., and **Hahn, M. E.** (2010). Cytochrome P450 diversity and induction by gorgonian allelochemicals in the marine gastropod *Cyphoma gibbosum*. *BMC Ecology* **10(1)**:24 PMC3022543

- 2011 Aluru, N. §, Karchner, S. I., and **Hahn, M. E.** (2011). Role of DNA methylation of AHR1 and AHR2 promoters in differential sensitivity to PCBs in Atlantic Killifish, *Fundulus heteroclitus*. *Aquat Toxicol*, **101**: 288-294. PMC3019765.
- 2011 Wirgin, I., Roy, N. K., Loftus, M., Chambers, R. C., Franks, D. G., and **Hahn, M. E.** (2011). Mechanistic Basis of Resistance to PCBs in Atlantic Tomcod from the Hudson River. *Science* **331**, 1322-1325. (PMC3246799)
- 2011 Oleksiak, M. F., Karchner, S. I., Jenny, M. J. §, Franks, D. G., Mark Welch, D. B., and **Hahn, M. E.** (2011). Transcriptomic assessment of resistance to effects of an aryl hydrocarbon receptor (AHR) agonist in embryos of Atlantic Killifish (*Fundulus heteroclitus*) from a Marine Superfund Site. *BMC Genomics*, **12**, 263. PMC3213123 <http://www.biomedcentral.com/1471-2164/12/263>
- 2011 Curtis, L. R., Garzon, C. B., Arkoosh, M., Collier, T., Myers, M. S., Buzitis, J., and **Hahn, M. E.** (2011). Reduced cytochrome P4501A activity and recovery from oxidative stress during subchronic benzo[a]pyrene and benzo[e]pyrene treatment of rainbow trout. *Toxicol Appl Pharmacol*, **254**, 1-7. PMC3124960
- 2011 **Hahn, M. E.** (2011). Mechanistic Research in Aquatic Toxicology: Perspectives and Future Directions. *Aquat Toxicol*, **105S**, 67-71. PMC3220193
- 2012 **Hahn, M. E.**, and Karchner, S. I. (2012). Chapter 27. Structural and Functional Diversification of AHRs during Metazoan Evolution. In *The Ah receptor in Biology and Toxicology* (R. Pohjanvirta, Ed.). John Wiley & Sons, Inc. (p. 389-403)
- 2012 Timme-Laragy, A. R. §, Karchner, S. I., Franks, D. G., Jenny, M. J. §, Harbeitner, R. C.\*, Goldstone, J. V., McArthur, A. G., and **Hahn, M. E.** (2012). Nrf2b: a novel zebrafish paralog of the oxidant-responsive transcription factor NF-E2-related factor 2 (Nrf2). *J. Biol. Chem.* **287**, 4609-4627. <http://www.jbc.org/content/287/7/4609>
- 2012 Farmahin, R., Wu, D., Crump, D., Herve, J. C., Jones, S. P., **Hahn, M. E.**, Karchner, S. I., Giesy, J. P., Bursian, S. J., Zwiernik, M. J., and Kennedy, S. W. (2012). Sequence and In Vitro Function of Chicken, Ring-Necked Pheasant, and Japanese Quail AHR1 Predict In Vivo Sensitivity to Dioxins. *Environ. Sci. Technol.* **46**, 2967-2975.
- 2012 Timme-Laragy, A. R. §, Karchner, S. I., and **Hahn, M. E.** (2012). Gene Knockdown by Morpholino-Modified Oligonucleotides in the Zebrafish (*Danio rerio*) Model: Applications for Developmental Toxicology. *Methods in Molecular Biology* **889**, 51-71. PMID: PMC4218736
- 2012 Jenny MJ§, Aluru N, **Hahn ME** (2012) Effects of Short-Term Exposure to 2,3,7,8-Tetrachlorodibenzo-p-dioxin on MicroRNA Expression in Zebrafish Embryos. *Toxicol Appl Pharmacol* **264**: 262-273. (<http://dx.doi.org/10.1016/j.taap.2012.08.007>) PMID: PMC3471217
- 2013 Harbeitner, RC\*, **Hahn, M. E.**, and Timme-Laragy, A. R. § (2013). Differential sensitivity to pro-oxidant exposure in two populations of killifish (*Fundulus heteroclitus*). *Ecotoxicology* **22**: 387-401 (doi:10.1007/s10646-10012-11033-x). PMID: PMC3573531
- 2013 Farmahin, R., Manning, G. E., Crump, D., Wu, D., Mundy, L. J., Jones, S. P., **Hahn, M. E.**, Karchner, S. I., Giesy, J. P., Bursian, S. J., Zwiernik, M. J., Fredricks, T. B., and Kennedy, S. W. (2013). Amino Acid Sequence of the Ligand Binding Domain of the Aryl Hydrocarbon Receptor 1 (AHR1) Predicts Sensitivity of Wild Birds to Effects of Dioxin-like Compounds. *Toxicol Sci*, **131**: 139-152. (doi: 10.1093/toxsci/kfs259)

- 2013 Fracalvieri, D., Soshilov, A. A., Karchner, S. I., Franks, D. G., Pandini, A., Bonati, L., **Hahn, M. E.**, and Denison, M. S. (2013). Comparative Analysis of Homology Models of the Ah Receptor Ligand Binding Domain: Verification of Structure-Function Predictions by Site-Directed Mutagenesis of a Non-Functional Receptor. *Biochemistry* **52**: 714-725. (<http://pubs.acs.org/doi/abs/10.1021/bi301457f>) PMID: PMC3568667
- 2013 Amemiya CT, *et al.* (2013). The African coelacanth genome provides insights into tetrapod evolution. *Nature* **496**: 311-316. PMID: PMC3633110
- 2013 Odio, C., Holzman, S. A., Denison, M. S., Fracalvieri, D., Bonati, L., Franks, D. G., **Hahn, M. E.**, and Powell, W. H. (2013). Specific Ligand Binding Domain Residues Confer Low Dioxin Responsiveness to AHR1 $\beta$  of *Xenopus laevis*. *Biochemistry* **52**: 1746–1754. PMID: PMC3669666
- 2013 Timme-Laragy, A. R.<sup>§</sup>, Goldstone, J. V., Irmhoff, B. R., Stegeman, J. J., **Hahn, M. E.**, and Hansen, J. M. (2013). Glutathione redox dynamics and expression of glutathione-related genes in the developing embryo. *Free Radical Biology & Medicine* **65C**, 89-101.
- 2013 Williams, LM<sup>§</sup>, Timme-Laragy, AR<sup>§</sup>, Goldstone, JV, McArthur, AG, Stegeman, JJ, Smolowitz, RM, and **Hahn, ME** (2013). Developmental expression of the Nfe2-related factor (Nrf) transcription factor family. *PLoS One*. 2013; **8(10)**: e79574. PMID: PMC3840143
- 2013 Bainy, A. C. D., Kubota, A., Goldstone, J. V., Lille-Langøy, R., Karchner, S. I., **Hahn, M. E.**, Goksøyr, A., and Stegeman, J. J. (2013). Functional Characterization of a Full Length Pregnane-X-Receptor, Expression in vivo, and Identification of PXR Alleles in Zebrafish (*Danio rerio*). *Aquat Toxicol* **142– 143**: 447– 457.
- 2013 Aluru, N.<sup>§</sup>, Deak, K.L.\* , Jenny, M. J., and **Hahn, M. E.** (2013). Developmental exposure to valproic acid alters the expression of microRNAs involved in neurodevelopment in zebrafish *Neurotoxicology and Teratology* **40**: 46-58. PMID: PMC3895482
- 2014 Reitzel, A. M., Passamaneck, Y. J., Karchner, S. I., Franks, D. G., Martindale, M. Q., Tarrant, A. M., and **Hahn, M. E.** (2013). Aryl hydrocarbon receptor (AHR) in the cnidarian *Nematostella vectensis*: comparative expression, protein interactions, and ligand binding. *Development Genes and Evolution*, **224(1)**:13-24. PMID: PMC3915718 doi: 10.1007/s00427-013-0458-4.
- 2014 Lowe, M. M., Mold, J. E., Kanwar, B., Huang, Y., Louie, A., Pollastri, M. P., Wang, C., Franks, D. G., Schlezinger, J., Sherr, D., Silverstone, A. E., **Hahn, M. E.\***, and McCune, J. M.\* (2014) Identification of Cinnabarinic Acid as a Novel Endogenous Aryl Hydrocarbon Receptor Ligand That Drives IL22 Production, *PLoS ONE* **9(2)**: e87877. doi:10.1371/journal.pone.0087877. PMID: PMC3912126 (\*co-corresponding authors)
- 2014 Reitzel, A. M., Karchner, S. I., Franks, D. G., Evans, B. R.<sup>#</sup>, Nacci, D. E., Champlin, D., Vieira, V. M., and **Hahn, M. E.** (2014). Genetic Variation at Aryl Hydrocarbon Receptor (AHR) Loci in PCB-sensitive and PCB-resistant populations of Atlantic Killifish (*Fundulus heteroclitus*). *BMC Evolutionary Biology* 2014, **14**:6. PMID: PMC3899389 doi:[10.1186/1471-2148-14-6](https://doi.org/10.1186/1471-2148-14-6)
- 2014 Farmahin, R., Jones, S. P., Crump, D., **Hahn, M. E.**, Giesy, J. P., Zwiernik, M. J., Bursian, S. J., and Kennedy, S. W. (2014). Species-specific relative AHR1 binding affinities of 2,3,4,7,8-pentachlorodibenzofuran explain avian species differences in its relative potency. *Comp Biochem Physiol C Toxicol Pharmacol* **161**:21–25.

- 2014 Aluru, N. §, Jenny, M. J. §, and **Hahn, M. E.** (2014). Knock-down of a zebrafish aryl hydrocarbon receptor repressor (*ahrra*) affects transcription of genes related to photoreceptor development and hematopoiesis. *Toxicol. Sci* **139**: 381-395. PMID: PMC4031623 (<http://toxsci.oxfordjournals.org/content/early/2014/03/27/toxsci.kfu052.abstract>)
- 2014 Parks, A.J., Pollastri, M.P., **Hahn, M.E.**, Stanford, E.A., Novikov, O., Franks, D.G., Haigh, S.E., Narasimhan, S., Ashton, T.D., Hopper, T.G., Kozakov, D., Beglov, D., Vajda, S., Schlezinger, J.J., Sherr, D.H., 2014. In Silico Identification of an Aryl Hydrocarbon Receptor (AHR) Antagonist with Biological Activity In Vitro and In Vivo. *Mol Pharmacol.* **86**: 593-608. (<http://www.ncbi.nlm.nih.gov/pubmed/25159092>) PMID: PMC4201140
- 2014 **Hahn, M.E.**, McArthur, A.G., Karchner, S.I., Franks, D.G., Jenny, M.J. §, Timme-Laragy, A.R. §, Stegeman, J.J., Woodin, B.R., Cipriano, M.J., Linney, E.A., 2014. The Transcriptional Response to Oxidative Stress During Vertebrate Development: Effects of tert-Butylhydroquinone and 2,3,7,8-Tetrachlorodibenzo-p-dioxin. *PLoS ONE* **9**: e113158. PMID: PMC4234671
- 2015 Aluru, N., Karchner, S.I., Franks, D.G., Nacci, D., Champlin, D., **Hahn, M.E.**, 2015. Targeted mutagenesis of aryl hydrocarbon receptor 2a and 2b genes in Atlantic killifish (*Fundulus heteroclitus*). *Aquat. Toxicol.* **158**: 192-201. PMID: PMC4272816
- 2015 Gräns, J., Wassmur, B., Fernández-Santoscoy, M., Zanette, J., Woodin, B.R., Karchner, S.I., Nacci, D.E., Champlin, D., Jayaraman, S., **Hahn, M.E.**, Stegeman, J.J., Celandier, M.C., 2015. Regulation of pregnane-X-receptor, CYP3A and P-glycoprotein genes in the PCB-resistant killifish (*Fundulus heteroclitus*) population from New Bedford Harbor. *Aquat Toxicol.* **159**: 198-207. PMID: PMC4311260
- 2015 DeGroot, D.E., Franks, D.G., Higa, T., Tanaka, J., **Hahn, M.E.**, Denison, M.S., 2015. Naturally-Occurring Marine Brominated Indoles are Aryl Hydrocarbon Receptor Ligands/Agonists. *Chemical Research in Toxicology*, **28**: 1176–1185. PMID: PMC4469569
- 2015 Shoots, J.\* , Fracalvieri, D., Franks, D.G., Denison, M.S., **Hahn, M.E.**, Bonati, L., Powell, W.H., 2015. An Aryl Hydrocarbon Receptor from the Salamander *Ambystoma mexicanum* Exhibits Low Sensitivity to 2,3,7,8-Tetrachlorodibenzo-p-dioxin. *Environmental Science and Technology*, **49** (11): 6993–7001. PMID: PMC4454367
- 2015 **Hahn, M.E.**, Timme-Laragy, A.R., Karchner, S.I., Stegeman, J.J., 2015. Nrf2 and Nrf2-Related Proteins in Development and Developmental Toxicity: Insights from studies in Zebrafish (*Danio rerio*). *Free Radical Biology & Medicine* **88**: 275-289. PMID: PMC4698826. (<http://www.sciencedirect.com/science/article/pii/S0891584915002907>)
- 2015 Rousseau, M.E., Sant, K.E., Borden, L.R., Franks, D.G., **Hahn, M.E.**, Timme-Laragy, A.R., 2015. Regulation of Ahr signaling by Nrf2 during development: Effects of Nrf2a deficiency on PCB126 embryotoxicity in zebrafish (*Danio rerio*). *Aquat Toxicol.* **167**:157-171. PMID: PMC4703126.
- 2016 Glazer, L. §, **Hahn, M.E.**, Aluru, N., 2016. Delayed effects of developmental exposure to low levels of the aryl hydrocarbon receptor agonist 3,3',4,4',5-pentachlorobiphenyl (PCB126) on adult zebrafish behavior. *NeuroToxicology* **52**: 134-143. PMID: PMC4753093
- 2016 Wincent E, Kubota A, Timme-Laragy AR, Jönsson M, **Hahn ME**, Stegeman JJ (2016)

- Biological effects of 6-formylindolo[3,2-b]carbazole (FICZ) in vivo are enhanced by loss of CYP1A function in an Ahr2-dependent manner. *Biochemical Pharmacology* **110-111**:117-29. PMID: PMC4887394.
- 2016 Nacci, D. E., **M. E. Hahn**, S. I. Karchner, S. Jayaraman, C. Mostello, K. M. Miller, C. G. Blackwell and I. C. Nisbet (2016). Integrating Monitoring and Genetic Methods To Infer Historical Risks of PCBs and DDE to Common and Roseate Terns Nesting Near the New Bedford Harbor Superfund Site (Massachusetts, USA). *Environ Sci Technol.* **50(18)**:10226-35. PMID: PMC5110212
- 2016 Reid, N. M., D. A. Proestou, B. W. Clark, W. C. Warren, J. K. Colbourne, J. R. Shaw, S. I. Karchner, **M. E. Hahn**, D. Nacci, M. F. Oleksiak, D. L. Crawford and A. Whitehead (2016). The genomic landscape of rapid repeated evolutionary adaptation to toxic pollution in wild fish. *Science*: **354**: 1305-1308. PMID: PMC5206662
- 2017 Parente, T. E., D. A. Moreira, M. G. P. Magalhães, P. C. C. d. Andrade, C. Furtado, B. Haas, J. J. Stegeman and **M. E. Hahn** (2017). The liver transcriptome of suckermouth armoured catfish (*Pterygoplichthys anisitsi*, Loricariidae): Identification of expansions in defensome gene families. *Mar Poll Bull.* **115**: 352–361. PMID: PMC5310677  
<http://www.sciencedirect.com/science/article/pii/S0025326X16309985>
- 2017 Townley, I. K., S. I. Karchner, E. Skripnikova, T. E. Wiese, **M. E. Hahn** and B. B. Rees (2017). Sequence and functional characterization of hypoxia inducible factors, HIF1 $\alpha$ , HIF2 $\alpha$ , and HIF3 $\alpha$ , from the estuarine fish, *Fundulus heteroclitus*. *American Journal of Physiology--Regulatory, Integrative and Comparative Physiology*: **312**: R412–R425. PMID: PMC5402000  
<http://ajpregu.physiology.org/content/early/2016/12/27/ajpregu.00402.2016>
- 2017 Reid, N.M., Jackson, C.E., Gilbert, D., Minx, P., Montague, M.J., Hampton, T.H., Helfrich, L.W., King, B.L., Nacci, D., Aluru, N., Karchner, S.I., Colbourne, J.K., **Hahn, M.E.**, Shaw, J.R., Oleksiak, M.F., Crawford, D.L., Warren, W.C., Whitehead, A. (2017) The landscape of extreme genomic variation in the highly adaptable Atlantic killifish. *Genome Biology and Evolution* **9**: 659–676. PMID: PMC5381573
- 2017 **Hahn ME**, Karchner SI, Merson RR (2017) Diversity as Opportunity: Insights from 600 Million Years of AHR Evolution. *Current Opinion in Toxicology* **2**: 58-73. PMID: PMC5343764
- 2017 Whitehead A, Clark BW, Reid NM, **Hahn ME**, Nacci D (2017) When evolution is the solution to pollution: How chemical complexity and life history traits interact to influence rapid genetic adaptation, with examples from killifish. *Evolutionary Applications*: **10**: 762–783. PMID: PMC5680427.
- 2017 Sant KE, Hansen JM, Williams LM, Goldstone JV, Stegeman JJ, **Hahn ME**, Timme-Laragy A (2017) The role of Nrf1 and Nrf2 in the regulation of glutathione and redox dynamics in the developing embryo. *Redox Biology* **13**: 207-218. PMID: PMC5458767
- 2017 Holland EB, Goldstone JV, Pessah IN, Lorenzana Z, Whitehead A, Reid N, Karchner SI, **Hahn ME**, Nacci DE, Clark BW, Stegeman JJ (2017) Characterizing ryanodine receptor and FK506 binding protein 1 isoforms in the Atlantic killifish (*Fundulus heteroclitus*): A phylogenetic and population based comparison. *Aquatic Toxicology* **192**: 105-115. PMID: PMC5662517.
- 2018 Lemaire B, Karchner SI, Goldstone JV, Lamb DC, Drazen JC, Rees JF, **Hahn ME**, Stegeman JJ (2018) Molecular adaptation to high pressure in cytochrome P450 1A and

- aryl hydrocarbon receptor systems of the deep-sea fish *Coryphaenoides armatus*. *Biochim Biophys Acta*. **1866**: 155-165. PMID: PMC5693637
- 2018 Timme-Laragy AR, **Hahn ME**, Hansen JM, Rastogi A, Roy MA (2018) Redox stress and signaling during vertebrate embryonic development: Regulation and responses. *Seminars in Cell and Developmental Biology*: **80**, 17-28, 10.1016/j.semcdb.2017.09.019. PMID: PMC5650060.
- 2019 **Hahn, M. E.** (2019). Evolutionary concepts can benefit both fundamental research and applied research in toxicology (A comment on Brady et al. 2017). *Evolutionary Applications* **12**: 350–352. <https://doi.org/10.1111/eva.12695>. PMID: PMC6346646
- 2019 Ulin, A., Henderson, J., Pham, M.-T., Meyo, J., Chen, Y., Karchner, S. I., Goldstone, J. V., **Hahn, M. E.** and Williams, L. M. (2019). Developmental Regulation of Nuclear Factor Erythroid-2 Related Factors (nrfs) by AHR1b in zebrafish (*Danio rerio*). *Toxicol Sci*, **167**: 536–545. (<https://doi.org/10.1093/toxsci/kfy257>) PMID: PMC6358246
- 2019 McDonough CA, Franks DG, **Hahn ME**, Lohmann R (2019) Aryl Hydrocarbon Receptor-Mediated Activity of Gas-Phase Ambient Air Derived from Passive Sampling and an In Vitro Bioassay. *Environmental Toxicology and Chemistry* **38**: 748–759. PMID: PMC6467651.
- 2019 Crawford KA<sup>#</sup>, Clark BW, Heiger-Bernays WJ, Karchner SI, Henn BGC, Griffith KN, Howes BL, Schlezinger DR, **Hahn ME**, Nacci DE, Schlezinger JJ (2019) Altered lipid homeostasis in a PCB-resistant Atlantic killifish (*Fundulus heteroclitus*) population from New Bedford Harbor, MA, U.S.A. *Aquatic Toxicology* **210**: 30-43. PMID: PMC6544361
- 2019 Zhang W, Xie HQ, Li Y, Jin T, Li J, Xu L, Zhou Z, Zhang S, Ma D, **Hahn ME**, Zhao B (2019) Transcriptomic analysis of *Anabas testudineus* and its defensive mechanisms in response to persistent organic pollutants exposure. *Science of the Total Environment*: **669**: 621–630 (<https://doi.org/10.1016/j.scitotenv.2019.1002.1440>). PMID: PMC6581032
- 2019 Zhang W, Xie H, Li Y, Zou X, Xu L, Ma D, Li J, Ma Y, Jin T, **Hahn ME**, Zhao B (2019) Characterization of the aryl hydrocarbon receptor (AhR) pathway in *Anabas testudineus* and mechanistic exploration of the reduced sensitivity of AhR2a. *Environmental Science and Technology* **53**: 12803-12811. PMID: PMC6832778
- 2020 Crawford KA<sup>#</sup>, Clark BW, Heiger-Bernays WJ, Karchner SI, **Hahn ME**, Nacci DE, Schlezinger JJ (2020) Tributyltin disrupts fin development in *Fundulus heteroclitus* from both PCB-sensitive and resistant populations: Investigations of potential interactions between AhR and PPAR $\gamma$ . *Aquatic Toxicology* **218**: 105334. PMID: PMC6935467
- 2020 Aranguren-Abadia L<sup>#</sup>, Lille-Langoy R, Madsen AK, Karchner SI, Franks DG, Yadetie F, **Hahn ME**, Goksoyr A, Karlsen OA (2020) Molecular and Functional Properties of the Atlantic Cod (*Gadus morhua*) Aryl Hydrocarbon Receptors Ahr1a and Ahr2a. *Environ Sci Technol* **54**: 1033-1044. PMID: PMC7003535
- 2020 **Hahn ME**, Sadler KC (2020) Casting a wide net: use of diverse model organisms to advance toxicology. *Dis Model Mech*. **13**: dmm043844. PMID: PMC7132827
- 2020 Avilla MN, Malecki KMC, **Hahn ME**, Wilson RH, Bradfield CA (2020) The Ah Receptor: Adaptive Metabolism, Ligand Diversity, and the Xenokine Model. *Chem Res Toxicol* **33**: 860–879. (<https://doi.org/10.1021/acs.chemrestox.9b00476>) (PMCID: PMC7175458)

- 2020 Kazzaz SA\*, Tagliabue SG, Franks DG, Denison MS, **Hahn ME**, Bonati L, Powell WH (2020) An Aryl Hydrocarbon Receptor from the Caecilian Amphibian *Gymnopsis multiplicata* Suggests Low Dioxin Affinity in the Ancestor of All Three Amphibian Orders. *General and Comparative Endocrinology*: 299:113592. (<https://doi.org/10.1016/j.ygcen.2020.113592>). NIHMSID:NIHMS1624444
- 2020 Panlilio JM#, Aluru N, **Hahn ME** (2020) Developmental neurotoxicity of the harmful algal bloom toxin domoic acid: Cellular and molecular mechanisms underlying altered behavior in the zebrafish model. *Environmental Health Perspectives* **128**: 117002. (<https://doi.org/10.1289/ehp6652>) (PMCID: PMC7641300)
- 2020 Shankar, P., Dasgupta, S., **Hahn, M. E.** and Tanguay, R. L. (2020). A Review of the Functional Roles of the Zebrafish Aryl Hydrocarbon Receptors. *Toxicol Sci*, 178(2):215-238. (<https://doi.org/10.1093/toxsci/kfaa143>) (PMCID: PMC7706399)
- 2020 Landrigan PJ, Stegeman JJ, Fleming LE, Allemand D, Anderson DM, Backer LC, Brucker-Davis F, Chevalier N, Corra L, Czerucka D, Bottein M-YD, Demeneix B, Depledge M, Deheyn DD, Dorman CJ, Fénichel PP, Fisher S, Gaill F, Galgani F, Gaze WH, Giuliano L, Grandjean P, **Hahn ME**, Hamdoun A, Hess P, Judson B, Laborde A, McGlade J, Mu J, Mustapha A, Neira M, Noble RT, Pedrotti ML, Reddy C, Rocklöv J, Scharler UM, Shanmugam H, Taghian G, Water JAJMvd, Vezzulli L, Weihe P, Zeka A, Raps H, Rampal P (2020) Human Health and Ocean Pollution. *Annals of Global Health* 86(1): 1–64. (<https://annalsofglobalhealth.org/article/10.5334/aogh.2831/>)
- 2020 Avilla, M.N., Bradfield, C.A., Glover, E., **Hahn, M.E.**, Malecki, K.M.C., Stern, P.H. and Wilson, R.H. (2020). Alan Poland, MS, MD: 1940-2020. Poisons as Probes of Biological Function. *Chemical Research in Toxicology* (<https://doi.org/10.1021/acs.chemrestox.0c00159>).
- 2021 #Panlilio, JM, Jones, IT, Salanga, MC, Aluru, N, and **Hahn, ME** (2021). Developmental exposure to domoic acid disrupts startle response behavior and circuitry in zebrafish. *Toxicological Sciences* **182(2)**: 310-326 (<https://doi.org/10.1093/toxsci/kfab066>) PMCID: PMC8331133
- 2022 Berger CA, Ward CP, Karchner SI, Nelson RK, Reddy CM, **Hahn ME**, Tarrant AM (2022) *Nematostella vectensis* exhibits an enhanced molecular stress response upon co-exposure to highly weathered oil and surface UV radiation. *Mar Environ Res*. **175**:105569.
- 2022 §James BD, **Hahn ME**, Reddy CM (2022) Biomaterials science can offer a valuable second opinion on nature's plastic malady. *Environmental Science & Technology* **56(3)**:1475-1477. (Perspective; not peer-reviewed)
- 2022 Zhang W, Xie HQ, Li Y, Zhou M, Zhou Z, Wang R, **Hahn ME**, Zhao B (2022) The aryl hydrocarbon receptor: A predominant mediator for the toxicity of emerging dioxin-like compounds. *J Hazard Mater*. **426**:128084. PMCID: PMC9039345
- 2022 §James BD, Vos Ad, Aluwihare L, Youngs S, Ward CP, Nelson RK, Michel APM, **Hahn ME**, Reddy CM (2022) Divergent Forms of Pyroplastic: Lessons Learned from the M/V X-Press Pearl Ship Fire. *ACS Environmental Au* **2(5)**: 467–479. doi: 10.1021/acsenvironau.2c00020 (<https://doi.org/10.1021/acsenvironau.2c00020>).
- 2022 Sanmarco LM, Chao CC, Wang YC, Kenison JE, Li Z, Rone JM, Rejano-Gordillo CM, Polonio CM, Gutierrez-Vazquez C, Piester G, Plasencia A, Li L, Giovannoni F, Lee HG, Faust Akl C, Wheeler MA, Mascanfroni I, Jaronen M, Alsuwailm M, Hewson P, Yeste A,



- Andersen BM, Franks DG, Huang CJ, Ekwudo M, Tjon EC, Rothhammer V, Takenaka M, de Lima KA, Linnerbauer M, Guo L, Covacu R, Queva H, Fonseca-Castro PH, Bladi MA, Cox LM, Hodgetts KJ, **Hahn ME**, Mildner A, Korzenik J, Hauser R, Snapper SB, Quintana FJ (2022) Identification of environmental factors that promote intestinal inflammation. *Nature* **611**: 801-809. PMID: PMC9898826
- 2022 Landrigan PJ, Raps H, Symeonides C, Cropper M, Enck J, **Hahn ME**, Kumar P, Mustapha A, Park Y, Spring M, Stegeman J, Wang Z, Wolff M, Yousuf A, Dunlop S (2022) Announcing the Minderoo – Monaco Commission on Plastics and Human Health. *Annals of Global Health* **88(1)**: 73, 1–9. (Editorial) PMID: PMC9414927
- 2023 #Panlilio JM, Hammar KM, Aluru N, **Hahn ME**. (2023) Developmental exposure to domoic acid targets reticulospinal neurons and leads to aberrant myelination in the spinal cord. *Scientific reports*. 13(1):2587. PMID: PMC9929266. doi:10.1038/s41598-023-28166-2
- 2023 Landrigan PJ, Raps H, Cropper M, Bald C, Brunner M, Canonizado EM, Charles D, Chiles TC, Donohue MJ, Enck J, Fenichel P, Fleming LE, Ferrier-Pages C, Fordham R, Gozt A, Griffin C, **Hahn ME**, Haryanto B, Hixson R, Ianelli H, §James BD, Kumar P, Laborde A, Law KL, Martin K, Mu J, Mulders Y, Mustapha A, Niu J, Pahl S, Park Y, Pedrotti M-L, #Pitt JA, Ruchirawat M, Seewoo BJ, Spring M, Stegeman JJ, Suk W, Symeonides C, Takada H, Thompson RC, Vicini A, Wang Z, Whitman E, Wirth D, Wolff M, Yousuf AK, Dunlop S. (2023) The Minderoo-Monaco Commission on Plastics and Human Health. *Annals of Global Health*. 2023; 89: 1–215. PMID: PMC10038118 and PMC10573651 (correction)  
DOI: <https://doi.org/10.5334/aogh.4056>
- 2023 §James BD, Karchner SI, Walsh AN, Aluru N, Franks DG, Sullivan KR, Reddy CM, Ward CP, **Hahn ME** (2023) Formulation controls the potential neuromuscular toxicity of polyethylene photoproducts in developing zebrafish. *Environmental Science and Technology* **57**: 7966-7977 doi: 10.1021/acs.est.3c01932
- 2023 §James BD, Reddy CM, **Hahn ME**, Nelson RK, de Vos A, Aluwihare LI, Wade TL, Knap AH, Bera G (2023) Fire and Oil Led to Complex Mixtures of PAHs on Burnt and Unburnt Plastic during the M/V X-Press Pearl Disaster. *ACS Environmental Au*. 3, 5, 319–335.
- 2024 #Pitt JA, Aluru N, **Hahn ME** (2024) Microplastics in Marine Food Webs. In: Shumway SE, Ward E, editors. *Plastics in the Sea: Occurrence and Impacts*. (in press)
- 2024 Miller JT, Clark BW, Reid NM, Karchner SI, Roach JL, **Hahn ME**, Nacci D, Whitehead A (2024) Independently evolved pollution resistance in four killifish populations is largely explained by few variants of large effect. *Evolutionary Applications* 17: e13648. PMID: PMC10824703
- 2024 §James BD, Ward CP, **Hahn ME**, Thorpe SJ, Reddy CM (2024) Minimizing the environmental impacts of plastic pollution through eco-design of products with low environmental persistence. *ACS Sustainable Chemistry & Engineering* **12(3)**: 1185-1194. <https://doi.org/10.1021/acssuschemeng.3c05534>. PMID: PMC10806995
- 2024 #Pitt JA, **Hahn ME**, Aluru N (2024) Implications of Exposure Route for the Bioaccumulation Potential of Nanopolystyrene Particles. *Chemosphere* **351**: 141133. (doi: 10.1016/j.chemosphere.2024.141133)
- 2024 Law KL, Sobkowicz MJ, Shaver MP, **Hahn ME** (2024) Untangling the chemical complexity of plastics to improve life cycle outcomes. *Nature Reviews Materials*

- 9(9):657-667 (<https://doi.org/10.1038/s41578-024-00705-x>). PMID: PMC11483869
- 2024 §James BD, Medvedev AV, Makarov SS, Nelson RK, Reddy CM, **Hahn ME** (2024) Moldable plastics (polycaprolactone) can be acutely toxic to developing zebrafish and activate nuclear receptors in mammalian cells. *ACS Biomaterials Science & Engineering* **10(8)**: 5237-5251 (<https://doi.org/10.1021/acsbiomaterials.4c00693>) PMID: PMC11323200
- 2024 **Hahn ME** and Sherr DH. (2024) The Enigmatic AHRR: Beyond aryl hydrocarbon receptor repression. *J Leukocyte Biol.* **116**: 915–918. PMID: PMC11531999 (<https://doi.org/10.1093/jleuko/qiae163>)
- 2024 #Pitt JA, Gallager SM, Youngs S, Michel APM, **Hahn ME**, Aluru N (2024) The abundance and localization of environmental microplastics in gastrointestinal tract and muscle of Atlantic killifish (*Fundulus heteroclitus*): A pilot study. *Microplastics and Nanoplastics* **4**: 23 (<https://doi.org/10.1186/s43591-024-00101-w>) PMID: PMC11527914 (preprint: *Research Square* <https://doi.org/10.21203/rs.3.rs-4916090/v1>)
- 2024 Aluru N, Chapman DP, Becker K, Van Mooy BAS, Karchner SI, Stegeman JJ, **Hahn ME** (2024) Developmental exposure of zebrafish to saxitoxin causes altered expression of genes associated with axonal growth. *NeuroToxicology* **105**: 303-312. (<https://doi.org/10.1016/j.neuro.2024.11.003>).
- 2025 §James BD, Medvedev AV, Medvedeva LA, Martsen E, Gorman KL, Lin B, Makarov SS, Aluwihare LI, Vos Ad, Reddy CM, **Hahn ME** (2024) Burnt plastic (pyroplastic) from the M/V X-Press Pearl ship fire and plastic spill contain compounds that activate endocrine and metabolism-related human and fish transcription factors. *Environment & Health (ACS)* **3**: 91-101 (<https://doi.org/10.1021/envhealth.4c00172>).
- 2025 #Ma L, **Hahn ME**, Karchner SI, Nacci D, Clark BW, Apprill A (2024) Environmental and population influences on mummichog (*Fundulus heteroclitus*) gut microbiomes. *Microbiology Spectrum* (accepted) (preprint: *bioRxiv*: 2024.2001.2026.577513.)